

# Material Safety Data Sheet



**IDENTITY** (as Used on Label and List)

Product Types: Reddy® Dry Packaged Portland Cement Based Products

**Reddy Concrete Mix**

**Reddy Concrete 5000**

**Reddy Sand Mix**

## Section I

<b>Manufacturer</b>	
Hills Materials Company	<b>Emergency Telephone Number</b> (605) 394-3300
P.O. Box 2320	<b>Telephone Number for Information</b> (605) 394-3320
Rapid City, SD 57709	<b>Date Prepared</b> October 30, 2002 (Revised)

## Section II—Hazardous Ingredients/Identity Information

<b>Hazardous Components</b> (Specific Chemical Identity, Common Name(s))	<b>CAS #</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>
Crystalline Silica Sand	14808-60-7	10 mg/M <sup>3</sup> % SiO <sub>2</sub> +2	0.05 mg/M <sup>3</sup> (respirable)
Crushed Limestone Aggregate	01317-65-3	5 mg/M <sup>3</sup> (respirable)	10 mg/M <sup>3</sup>
Portland Cement	65997-15-1	5 mg/M <sup>3</sup>	5 mg/M <sup>3</sup>

## Section III—Physical/Chemical Characteristics

<b>Boiling Point</b> N/A	<b>Specific Gravity (H2O = 1)</b> 2.5 to 3.15
<b>Vapor Pressure (mm Hg)</b> N/A	<b>Melting Point</b> N/A
<b>Vapor Density (AIR = 1)</b> N/A	<b>Evaporation Rate (Butyl Acetate = 1)</b> N/A

### Solubility in Water

Slight (<1%)

### Appearance and Odor

When Dry: Fine, gray powder, no odor

When Wet: Gray, plastic, flowable, granular mud, no odor

## Section IV—Fire and Explosion Hazard Data

<b>Flash Point (Method Used)</b> N/A	<b>Flammable Limits</b> N/A	<b>LEL</b> N/A	<b>UEL</b> N/A
<b>Extinguishing Media</b> N/A			
<b>Special Fire Fighting Procedures</b> N/A			
<b>Unusual Fire and Explosion Hazards</b> None			

## Section V—Reactivity Data

<b>Stability</b> Stable	<b>Conditions to Avoid</b> Avoid contact with incompatible materials.
----------------------------	--

### Incompatibility (Materials to Avoid)

Material is highly alkaline. Contact with acids will produce a violent exothermic reaction. Silica dissolves readily in hydrofluoric acid producing a corrosive gas – silicon tetrafluoride.

### Hazardous Decomposition or Byproducts

Limestone ignites on contact with fluorine and is incompatible with acids, alum, ammonium salts, and magnesium. Silica reacts violently with powerful oxidizing agents such as fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride, and oxygen difluoride yielding possible fire and/or explosions.

<b>Hazardous Polymerization</b> Will not occur	<b>Conditions to Avoid</b> None
---	------------------------------------

---

## Section VI—Health Hazard Data

---

<b>Route(s) of Entry</b>	<b>Inhalation?</b> Possible	<b>Skin?</b> Possible	<b>Ingestion?</b> Unlikely
--------------------------	-----------------------------	-----------------------	----------------------------

---

### Health Hazards

**Acute:** Irritation of the skin, eyes, or nasal passages. Cough and labored breathing if excessive dust is inhaled. When wet, contact with the skin or eyes may result in irritation and/or alkali burns.

**Chronic:** Cement dust can cause inflammation of the lining tissue of the interior of the nose and inflammation of the cornea. Silica dust can cause Silicosis of the lung. Hypersensitive individuals may develop an allergic dermatitis.

---

<b>Carcinogenicity:</b>	<b>NTP?</b> No	<b>IARC Monographs?</b> No	<b>OSHA Regulated?</b> No
-------------------------	----------------	----------------------------	---------------------------

---

### Signs and Symptoms of Exposure

Irritation of skin and burning sensation, particularly when exposure is in an area of skin previously subjected to abrasion or irritation.

Cough and labored breathing.

---

### Medical Conditions Generally Aggravated by Exposure

Inhaling respirable dust may aggravate existing respiratory system disease. Exposure to dust may aggravate existing skin and/or eye conditions.

---

### Emergency and First Aid Procedures

**EYES:** Immediately flush eye with plenty of clean water for at least 15 minutes, while holding the eyelid open. Contact a physician if irritation persists or later develops.

**SKIN:** Wash with soap and water. Contact a physician if irritation persists or later develops.

**INHALATION:** Move to fresh air. Contact a physician if irritation persists or later develops.

---

## Section VII—Precautions for Safe Handling and Use

---

### Steps to Be Taken in Case Material Is Released or Spilled

Clean up of spills may require personal protective equipment to prevent dust exposures and protect against alkali burns or irritation.

---

### Waste Disposal Method

If this material, as packaged, becomes a waste, it does not meet the criteria for a hazardous waste as defined by the EPA under the authority of the Resource Conservation and Recovery ACT (40CFR 261). Dispose of in accordance with Federal, State, and local regulations.

---

### Precautions to Be Taken in Handling and Storing

Should be stored in a manner to prevent contact with strong acids. Contact with water should be avoided to preserve product.

---

### Other Precautions

None

---

## Section VII—Control Measures

---

### Respiratory Protection

The use of a NIOSH approved respirator is recommended in a dusty environment.

---

<b>Ventilation:</b>	<b>Local Exhaust</b> Yes	<b>Special</b> No
	<b>Mechanical (General)</b> No	<b>Other</b> No

---

<b>Protective Gloves</b> Yes	<b>Eye Protection</b> Yes
------------------------------	---------------------------

---

### Other Protective Clothing or Equipment

Use barrier creams, gloves, boots, and clothing to protect the skin from prolonged contact.

---

### Work/Hygienic Practices

Wash dust-exposed skin with soap and water before eating, drinking, smoking, and using toilet facilities. Wash clothes after each use.

---

### Notice:

Hills Materials Company believes the information contained herein is accurate; however, Hills Materials Company makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein by any party. The provision of the information contained herein is not intended to be and should not be construed as legal advice or as ensuing compliance with any federal, state, or local laws or regulations. Any party using this product should review all such laws, rules, or regulations prior to use.

**NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.**

---